


0.080 ALL-WELDED ALUMINUM CURB (REQUIRED IT TO BE COVERED UNDER WEATHER TIGHTNESS WARRANTY)



2" LONG PIECE OF 3/32" X 1" ROLL TAPE SEALANT (PLACED ON TOP OF SEAMS WHERE NOTCH OCCURS)

WOOD SCREWS (NOT BY MCELROY)

1 X 4'S TO SUPPORT CURB (NOT BY MCELROY)

EXISTING SHINGLES (NOT BY MCELROY)

EXISTING PLYWOOD (NOT BY MCELROY)

138T ROOF PANELS

SEAM CAP

SLOPE

CLEARANCE FOR THERMAL MOVEMENT

3/16" X 7/8" DOUBLE BEAD TAPE SEALANT

BACKUP CHANNEL

8" SHINGLE RECOVER CLIP (SET ON TWO SHINGLE TABS TO KEEP NEW ROOF ON PLANE)

#14-10 X 1 1/2" TYPE A FASTENERS (2 PER CLIP)



## ROOF CURB DETAIL - STEP #2

ISSUE/REVISION DATE:

03/10/2016

ROOF PANEL: 138T

SUBSTRATE: SHINGLE RECOVER

SCALE: N.T.S.