



2" LONG PIECE OF 3/32" X 1"  
ROLL TAPE SEALANT (PLACED  
ON TOP OF SEAMS WHERE NOTCH  
OCCURS)

138T ROOF  
PANELS

SEAM CAP

3/16" X 7/8" DOUBLE BEAD  
TAPE SEALANT

138T SHINGLE RECOVER / ASV CLIP  
(SET ON TWO SHINGLE TABS TO  
KEEP NEW ROOF ON PLANE)

SLOPE

BACKUP CHANNEL

#14-10 X 1 1/2" TYPE A  
FASTENERS (2 PER CLIP)

0.080 ALL-WELDED ALUMINUM  
CURB (REQUIRED IT TO BE COVERED  
UNDER WEATHER TIGHTNESS WARRANTY)

WOOD SCREWS  
(NOT BY MCELROY)

1 X 4'S TO SUPPORT CURB  
(NOT BY MCELROY)

EXISTING SHINGLES  
(NOT BY MCELROY)

EXISTING PLYWOOD  
(NOT BY MCELROY)

CLEARANCE FOR  
THERMAL MOVEMENT



## ROOF CURB DETAIL - STEP #2

ISSUE/REVISION DATE:

04/14/2025

ROOF PANEL: 138T

SUBSTRATE: SHINGLES

SCALE: N.T.S.