



Panel/Trim /Accessories



Corporate Office • 1500 Hamilton Rd. • Bossier City, LA 71111 • www.mcelroymetal.com



Mirage II	Mirage II Panel $ \begin{array}{c c} & & & & & & & & & \\ & & & & & & & & &$
Mirage II Test Data. Section Properties or Load Tables	Mirage II Seam Detail Factory Applied Sealant (for / 3:12 or less slope)
For any available Testing Data, Section Properties, or Load Tables, please visit www.mcelroymetal.com. For all other additional information, please contact the McElroy Engineering Department at 1-800-950-9082 .	Mirage II Panel Mirage II Clip Fastener
Details:	Panel Options:
- Minimum Slope: 1/4:12	- Panel width: 16"
- Factory applied sealant is required in seam (side laps) at less than 3:12 slope	- Panel configurations: ribbed
- Can be installed over solid deck or open framing	- Coating: - Kynar 500® (PVDF)
- Mirage II is produced in Adelanto, CA and Ashburn, GA	- Substrate: - Standard 24 GA Galvalume®


Notes:

- Oil canning is a natural occurrence in metal panels and is not cause for panel rejection.

- Please contact a McElroy representative for specific pricing, lead times, special colors or gauges that may not be on a McElroy Metal color chart.


- Contents in this manual are subject to change without notice. To confirm this book is the most current copy, please visit McElroy's website at www.mcelroymetal.com.




















SPECIAL RAKE AND GUTTER TRIM












☆ MANUFACTURING LOCATIONS ● SERVICE CENTERS ★ MANUFACTURING AND SERVICE CENTER



7450 Tower Street

1144 Silstar Rd.

Richland Hills, TX 76118

West Columbia, SC 29170

8200 Berry Ave. Suite 100 Sacramento, CA 95828

325 McGhee Rd. Winchester, VA 22603

Website: www.mcelroymetal.com · E-mail: info@mcelroymetal.com

2755 Hwy 60

Pendergrass, GA 30567

Union City, GA 30291

7355 Oakley Industrial Blvd.

MM413-A

8511 Industrial Drive

1365 Dean Forest Rd.

Savannah, GA 31405

Pearland, TX 77584